

MOSSBIL

stonévénition



URBAN
STONE



Size:

800x2400mm

800x3000mm

Italian Technology

CONTINUA+

INTRODUCING

ICONIC MASTERPIECES

BUILD FIRM SPACE WITH

URBAN
STONE

You deserve durable spaces not intimidated by heavy usage and other atrocities of modern-day lifestyle. Therefore, brings an unrivaled and second-to-none surface solution unmatched in strength and style in the ceramic industry, which boasts a formidable thickness and size that is superiorly versatile for many specialized and standalone applications.

A thoughtfully crafted and curated collection: The Strong Stone from Motto is more than its strong name. The collection is undeniably durable and, at the same time, stylish, offering you space aesthetic and robust in equal measures. The collection features sturdy thickness and reliability of full body with classic and versatile designs setting standards for modern classics.

Perfected over time through research and development, modern technology, processes, and high-quality raw materials, The Strong Stone is a name you can always trust and rely on. It is crafted to withstand heavy usage, traffic, and the brutalities of modern-day usage, such as frequent usage, stains, scratches, low maintenance, and much more.

FULL BODY

INTRODUCING

PRODUCT BENEFITS



High Resilience

The surfaces are resistant to stains, scratches, impacts, and more.




Antibacterial Surface

Non-porous surfaces boost anti-microbial properties, making them hygienic.



Made in India

The products of Motto are proudly Made in India and available worldwide.



EDGE PROFILES

The thickness is ideal for functional and aesthetic edge profiles, rendering spaces additional safety and finer details with slab cutting, shaping, and more.



Squared ridge at 45°



Rounded ridge at 45°



Straight squared ridge



Rounded straight ridge



Double straight squared ridge



Double straight rounded ridge

URBAN STONE



The kitchen countertop is one of the most stressed and functional surfaces in the home environment, and for this reason its choice requires particular attention. Most daily activities take place on it, from food preparation to placing utensils and appliances.

For this reason, resistance, durability and ease of maintenance represent fundamental technical characteristics, without neglecting the design and aesthetic harmony with the rest of the environment.

The choice of the most suitable material is therefore crucial. In this context, porcelain stoneware is confirmed as one of the best solutions available on the market, thanks to its excellent technical performance and the versatility of its finishes, which make it practical and aesthetically refined.




FULL BODY

INTRODUCING
PRODUCT SIZE

THE FINEST SOLUTION

Developed with a professional touch, Strong Stone features a uniquely adaptable format that elevates every design. Its impressive thickness and ample dimensions make it ideal for creating refined countertops, statement table tops, robust work surfaces, and endless architectural elements.

Size:
800x2400mm





9


Colour

3

Surfaces

15_{MM}

Thickness



Polished

Dmatt

Raw Texture

| **Urban Stone White**

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Urban Stone White





Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Urban Stone Dark



FULL BODY



Polished

Dmatt

Raw Texture

| **Urban Stone Black**

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Urban Stone Black




Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Urban Stone Dark



FULL BODY



Polished

Dmatt

Raw Texture

| **Urban Stone Caramel**

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Urban Stone Caramel




Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Urban Stone Light



FULL BODY



Polished

Dmatt

Raw Texture

| **Urban Stone Burk**

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Urban Stone Burk






Size:
800x2400mm




Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Urban Stone Light



FULL BODY



Polished

Dmatt

Raw Texture

| **Urban Stone Sapphire**

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Urban Stone Sapphire





Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Urban Stone Light



FULL BODY



Polished

Dmatt

Raw Texture

| **Urban Stone Cloud**

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Urban Stone Cloud




Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Urban Stone Light



FULL BODY



Polished

Dmatt

Raw Texture

| **Urban Stone Nut**

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Urban Stone Nut



Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Urban Stone Light





Polished

Dmatt

Raw Texture

| **Urban Stone Notella**

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Urban Stone Notella




Size:
800x2400mm




Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Urban Stone Light



FULL BODY



Polished

Dmatt

Raw Texture

| **Urban Stone Sedge Bruse**

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY



| Urban Stone Sedge Bruse






Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Urban Stone Light



FULL BODY

TECHNICAL SPECIFICATION

CHARACTERISTICS	STANDARD AS PER ISO-13006/2018 En14411 gr.bla	OUR VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	± 0.5%	± 0.2%	ISO 10545-2
Deviation in Thickness	± 5%	± 5%	ISO 10545-2
Straightness of Sides	± 0.5%	± 0.2%	ISO 10545-2
Rectangularity	± 0.5%	± 0.2%	ISO 10545-2
Surface Flatness	± 0.5%	± 0.3%	ISO 10545-2
Colour Difference	ΔE<1.00	ΔE<0.30	ISO 10545-16
Glossiness	As per Mfg.	As Per Mfg.	Gloss Meter
Regulatory Properties			
Water Absorption	≤ 0.5 %	≤ 0.3 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of Rupture	Min.35N/mm ²	Min.40N/mm ²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 5000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Mohs Hardness	As per Mfg.	Min. class 4	BS EN 15771
Massive Mechanical Properties			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 ⁻⁶	Max. 6.0x10 ⁻⁶	ISO 10545-8
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

TECHNICAL SPECIFICATION

Dimension (mm)	No. of Pcs/Box	Square Feet	Weight (Approx)
800x3000mm	1 Pcs.	25.83 Sq. ft	83 kg.
800x2400mm	1 Pcs.	20.67 Sq. ft	68 kg.

MOSSBIL

stonévention



MARBILANO STONE LLP.

Windmill Road, At Nichi Mandal,
Halvad Road, Morbi-363642 (guj.) india

Mo: +91 98871 71571
www.mossbil.com

 **INTRA-VENA**
ITALIAN STONE

TECHNO
STONE